

MATERIAL SAFETY DATA SHEET

Catalogue N° : 971853 Printing date : 05/06/2007

1. IDENTIFICATION OF THE SUBSTANCE /PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ FN-6CWE FINISHINGGUM RTU

1.2. Use of the substance/preparation

Graphic product (field: plate development)

1.3. Company/undertaking identification

FUJIFILM Europe NV	FUJIFILM UK Ltd.
EUROPARK-NOORD 21-22	St. Martins Way
B-9100 SINT NIKLAAS	St. Martins Business Centre
TEL : +32 (3)760 02 00	BEDFORD
FAX : +32 (3)776 91 22	MK42 OLF
	UNITED KINGDOM

PRODUCTSAFETY@FUJIHUNT.COM

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Not classified as a hazardous product conform EEC Dangerous Substances Directive and Dangerous Preparation Directive.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components Symb. R-phrases
0,1-1	28519-02-0	249-063-8	DISODIUM DODECYL(SULOPHENOXY)BENZENESULFONATE XiN R:36-51/53

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.
Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

None

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.
Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

DISODIUM DODECYL(SULOPHENOXY)BENZENESULFONATE
MAK (Deutschland, TRGS 900) = NAV
TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness \geq 0,38 mm, breakthrough time $>$ 480 min) neoprene (thickness \geq 0,65 mm, breakthrough time $>$ 240 min). butyl rubber (thickness \geq 0,36 mm, breakthrough time $>$ 480 min) For intermittent splash protection corresponding gloves with breakthrough time $>$ 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
pH value (25°C) : 3,15
Density (20°C) Kg/L : 1,048
Solubility in water (25°C) : Completely
Viscosity : As water

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

None.

10.3. Hazardous decomposition products

Formation of CO₂ and CO fumes is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

DISODIUM DODECYL(SULOPHENOXY)BENZENESULFONATE
LD50 (Oral Rat) = $>$ 2000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity (INGREDIENTS INFORMATION)

DISODIUM DODECYL(SULOPHENOXY)BENZENESULFONATE
LC50 (Fish) = 4 - 8 mg/l

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 02 Water-based offset plate developer solutions

14. TRANSPORT INFORMATION

UN N° : - PSN : NON HAZARDOUS LIQUID
ADR/RID
Class:NA labels :- Pack. Group:-
Code :NA TREMcard :NA Spec. Prov.:-
Pack. Inst.:- Lim. Quant.:-
IMDG
Class:NA Subs. Risk :NA Pack. Group:NA
EmS fire:NA EmS Storage:NA IBC. Inst. :-
Pack. Inst.:- Lim. Quant.:- Mar.Poll:N
ICAO/IATA
Class:NA Subs. Risk :NA Pack. Group:NA
Passenger and Cargo Aircraft. Pkg Inst:NA Max Net Qty/Pkg:NA
Cargo Aircraft Only . Pkg Inst:NA Max Net Qty/Pkg:NA
Ltd Qty . Pkg Inst:- Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:
Contains : -
Symbol(s) :
R(isk) phrase(s) :
R_ : -
S(afety) phrase(s) :
S_ : -
Other information :
WGK: 1
BAG T n° (CH): 611 500
Toxicity class (CH): Frei

16. OTHER INFORMATION

The use of the preparation is restricted to professional users!
The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 01.10.2005
Supersedes edition of: 01.04.2004

Nav : Not available NA : Not applicable
RISK PHRASES MENTIONED IN PARAGRAPH 2:
R36 : Irritating to eyes.
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.